

# MONTHLY CRIB SAFETY INSPECTION FORM

Use one form for each crib

A. Crib's brand name \_\_\_\_\_  
 Crib Number (if numbered) \_\_\_\_\_

B. Crib's model number \_\_\_\_\_  
Use Reverse Side for Annual Certification

A & B must be completed for every crib used or accessible to any child in care. If you do not have the crib brand name and model number, the crib may not be used. Complete items (1), (2), (3), (4), (7), (8), (9) and (12) below for ALL cribs. In addition, complete items (5) and (6) for all full-size cribs and items (10) and (11) for all non-full size cribs.

Monthly Safety Inspection	Note inspection date under "date" All items must be inspected each month. Document actions taken on the back.											
	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date
(1) No corner posts extend more than 1/16 of an inch												
(2) No spaces between side slats exceed 2.375 inches												
(3) No mattress supports can be easily dislodged from any point of the crib												
(4) No cutout designs are present on end panels												
(5) No heights of the rail and end panel are less than 26 inches when measured from the top of the rail or panel in the highest position to the top of the mattress support in its lowest position												
(6) No heights of the rail and end panel are less than nine inches when measured from the top of the rail or panel in its lowest position to the top of the mattress support in its highest position												
(7) No screws, bolts, or hardware are loose or not secured, and there is no use of wood screws in components that are designed to be assembled and disassembled by the crib owner												
(8) No sharp edges, points, or rough surfaces are present												
(9) No wood surfaces are rough, splintered, split, or cracked												
(10) There are no tears in mesh of fabric sides in non-full-size cribs												
(11) No mattress pads in non-full-size mesh or fabric cribs exceed one inch												
(12) No gaps between the mattress and any sides of the crib are present												

Place a plus (+) [meets requirement] or minus (-) [does not meet requirement] for each applicable item (1 to 12). Upon discovery of any unsafe condition during the safety inspection, immediately remove the crib from use and ensure that the crib is not accessible to children in care. As soon as practicable, but not more than two business days after the inspection, remove the crib from the area where child care services are routinely provided and make necessary repairs or destroy the crib. Document the action(s) taken regarding unsafe cribs on the reverse side of this form.